



NAAC Appeal for Metric 4.1.2

4.1.2: Percentage of expenditure for infrastructure development and augmentation excluding salary during the last five years

4.1.2.1. Expenditure for infrastructure development and augmentation, excluding salary year wise during last five years (INR in lakhs)

Data before DVV Recommendation:

2022-23	2021-22	2020-21	2019-20	2018-19
117.96	139.53	130.54	213.99	268.38

Data after DVV Recommendation:

2022-23	2021-22	2020-21	2019-20	2018-19
0	0	0	0	0

HEI Appeal: The institution has well equipped laboratories, library and other facilities. The institution has categorically ensured that the laboratories and other facilities are upgraded as per the requirement of the curriculum. The values as per the report has not been considered and expenses has been marked as "0" for all 5 years despite the required audited, signed report being submitted for the same.

In view of the above, HEI appeals for the revision of grade for this metric from **0 to 4**.

NAAC score obtained: 0

Score expected by HEI: 4

To substantiate this claim, the URL for the feedback details hosted on the website are as follows:

<https://vivacollege.org/pdf/NAAC/criteria%204/4.1.2.pdf>

Infrastructure Details: [4.1.1.pdf](#)

Dr. V. S. Adigal

Principal

**Bhaskar Waman Thakur College of Science
Yashvant Keshav Patil College of Commerce
Vidhya Dayanand Patil College of Arts
VIVA College Road, Virar (W), Pin-401303.**

